

BioMedical Liquid Nitrogen Container

The Golden Phoenix liquid nitrogen container is manufactured according to the national standard GB/T5458 "Liquid Nitrogen Biological Container." The GP Series is widely used for transportation and storage of the frozen semen, vaccine, cell and micro-organism in the fields of animal husbandry, medicine and scientific research. The tanks are also used in the department of national defense, machinery building, medical treatment, electronics, metallurgy and energy.

Main Features:

- The outer shell and inner vessel are made of aluminum alloy plate featuring lightweight, high-cryogenic strength and corrosion resistance
- The neck tube is made of reinforced glass-fiber featuring high mechanical strength and low heat conductivity
- The multi-layer insulation is composed of aluminum foil with high reflectivity and insulation material with low heat conductivity and low out-gasing to reduce vacuum degradation
- An absorbent with a high absorbing capacity at cryogenic temperatuer is used to ensure long-term stability and reliable performance of the container
- Five -year vacuum warranty



GP Series

Specifications 4

| Model | Geometric Volume (L) | Caliber (mm) | Outside Diameter (mm) | Height (mm) | Empty Weight (kg) | Static Hold Time (Day) | Canister | | |
|-----------|----------------------------|--------------|-----------------------------|-------------|-------------------------|--------------------------------|----------|-------------|---------|
| | | | | | | | Qty | Caliber(OD) | Height |
| | | | | | | ≥ | | mm | |
| GP-1-30 | 1 | 30 | 180 | 315 | 2.0 | 14 | 1 | 26 | 120 |
| GP-2-30 | 2 | 30 | 224 | 360 | 2.9 | 28 | 3 | 19 | 120 |
| GP-3 | 3.15 | 50 | 224 | 420 | 3.4 | 26 | 6 | 38 | 120 |
| GP-6 | 6 | 50 | 287 | 435 | 5.0 | 52 | 6 | 38 | 120 |
| GP-10 | 10 | 50 | 303 | 530 | 6.2 | 86 | 6 | 38 | 120 |
| GP-10A | 10 | 50 | 287 | 605 | 6.5 | 97 | 6 | 38 | 276 |
| GP-10-90 | 10 | 90 | 303 | 538 | 6.7 | 44 | 6 | 70 | 120 |
| GP-15 | 16 | 50 | 355 | 600 | 8.2 | 134 | 6 | 38 | 120 |
| GP-20 | 20 | 50 | 409 | 650 | 11.2 | 168 | 6 | 38 | 120/276 |
| GP-30 | 31.5 | 50 | 446 | 670 | 12.9 | 254 | 6 | 38 | 120/276 |
| GP-30-125 | 31.5 | 125 | 446 | 685 | 14.2 | 90 | 6 | 97 | 120/276 |
| GP-35 | 35.5 | 50 | 473 | 680 | 13.8 | 286 | 6 | 38 | 120/276 |
| GP-35-125 | 35.5 | 125 | 473 | 690 | 15.1 | 97 | 6 | 97 | 120/276 |
| GP-47-127 | 47 | 127 | 500 | 675 | 19.0 | 105 | 6 | 103 | 120/276 |

[&]quot;A" means the high-efficiency container with added dimensions and longer static hold time.

Chart Industries (BioMedical Division) Chengdu Golden Phoenix Liquid Nitrogen Container Co., Ltd.

Add: No.48, Qingma Road, Chengdu Modern Industrial Park,

Pixian, Chengdu, 611730, Sichuan, China

Tel: +86-28-87805257 Fax: +86-28-87805258

Email: customerservice.china@chartindustries.com

Website: www.chartindustries.com



